Packaging machines and automation **on the highest level**







MCP-series

wirverpackenbier.debalimpivo.cz









WE are FISCHER 100% FULL THRUST for innovative ideas



WE are FISCHER 100% A TEAM for highest demands



WE are FISCHER 100% PASSION for our work

We are Fischer Innovation, team spirit and heart and soul

Whatever we do, we do it with heart and soul and passion.

We love the challenge of always finding the best possible solution for our customers. With our Allgäu "Mächler" mentality, we work on your task until we have found the perfect solution. We have the highest demands on our work and together we face every challenge. Challenge us - we always give 100%.

Everything from one source From the concept to after-sales support

At Wilhelm Fischer, we have all areas under one roof. This allows us to bundle knowledge and have very short distances. With us, you get "everything from a single source", from the initial concept to after-sales support. More than 40% of our employees have very high technical qualifications as engineers, master craftsmen or technicians and guarantee you the highest quality and solution competence.

At the highest level **Packaging machines and automation**

We stand for solid, flexible and customised mechanical engineering in the fields of packaging machines and automation technology. For the brewing and beverage industry, we have been building machines for packaging bottles or cans in multipacks, baskets or fully sealed boxes for many decades. In the field of special solutions, we design packaging machines exactly according to your wishes and needs. We design and build complete production lines for the highly automated assembly of precision parts. Regardless of the sector, the following standards are characteristic of all our systems:

Longevity

Machines from Wilhelm Fischer are performing reliably and precisely for our customers, as on the very first day – some of them for more than 40 years.

Production safety

Due to their robust construction and the use of high-quality components from renowned suppliers, a machine from Wilhelm Fischer has practically no downtime.

Our long-term thinking makes your machine ready for new requirements.

Flexible & intelligent

Our machine software makes even complex systems easy to operate

and leaves no wishes unfulfilled.

For more than 70 years, we design, manufacture, construct, install and service packaging machine systems with our more than 70 highly qualified employees. Our customers are mainly producers of beverages, food and consumer goods.

Since 1996 Wilhelm Fischer also produces state-of-the-art automation systems for mounting and inspection of precision parts.

More than 40 % of our employees hold a diploma, a degree or a certificate in engineering ("Diplom Ingenieur", "Techniker", "Industriemeister"). These high qualifications guarantee you the highest expertise and quality.





As an owner-run medium sized company with lean and agile structures and a high manufacturing depth, we will react very flexibly upon your requirements.

In the last fifteen years, the success of our packagingand automation solutions allowed us to expand our production facilities by 150 % to 5.000 m^2 . At the same time, the number of employees almost doubled.

Continuous training of new apprentices, long-term oriented thinking and an average age below 40 years make us a dynamic, forward looking Company.

The MCP-series



The right solutions for every application

Our MCP Multipackmachines are reliable packaging machines for bottles and cans, packing from 30 to 480 packs per minute. Many well-engineered machines with a high availability and reliability are running around the world. Our machines are upgradeable and adaptable over their whole lifetime. You can use packaging material from any producer to give you a **competitive advantage**.

In addition to our Multipack-machines, we also offer line-dividers and line-turning-dividers and crate-cover-machines / sunshield-inserters.

Advantages of the MCP-multipack-system

- No cardboard contract required
- Highest production and process reliability due to various machine details
- All common types of packaging on the market can be produced with one system
- Compensation of bottle tolerances through a special chain system and package glueing
- Improved packaging stability / stackability due to a tight packaging (e.g. for displays)
- € Control system connection according to Weihenstephan standard
- Integration of various printing systems
- Barcode reader integration
- Due to our experience in special machine construction, special customer requests can also be implemented.



Multipack MCP30 Combi

Flexible packaging machine for low output ranges for the fully automatic packing of bottles or cans in sleeves, baskets or fully sealed packages.



Here you can see the machine live in action

Features Machine

- Machine speeds up to 30 packs per minute
- Inline and offline-operation
- Fully automated operation
- Small footprint
- + Highly flexible, fast format changes, ideal for a re-packing line
- Different formations and bottle types
- + Additional bottle- and packaging types can be added easily
- Compensates the tolerances of the bottles before the glueing of the packs
- Can handle flip-top bottles
- Orientation of bottles optionally possible
- Mixing of bottles with different contents in one pack (optionally) possible
- ➡ EAN Code cover (optional)
- Machine can be upgraded later

Can produce carton sleeves, baskets and fully enclosed packs on one machine

Features Machine

MCP30	up to 30 packs / min.			
Size of product	Ø 50 - 80 mm, height 85 - 300 mm; other sizes upon request			
Sleeves up to 30 packs / min.	2 x 2 2 x 3 2 x 4 1 x 2 1 x 3 1 x 4			
Baskets up to 24 packs / min.	2 x 2 2 x 3 2 x 4			
Fully enclosed packs up to 20 packs / min.	2 x 2 2 x 3 2 x 4			
Dimensions of machine	3.000 x 1.400 x 2.860 mm (l x w x h) not including conveyors			









Closed Basket

fully enclosed pack









Sleeve with EAN-Code Cover Open Basket





Sleeve

Multipack MCP60

Flexible packaging machine for medium output ranges for fully automatic packaging of bottles or cans in sleeves.



Here you can

Features Machine

- Machine speed up to 60 packs per minute
- Different formations and bottle types (optional)
- Gentle handling of products
- Compensates the tolerances of the bottles with a special chain system and glueing of the packs
- Can handle flip-top bottles
- Orientation of bottles optionally possible





Orientation of flip-top-bottles possible

Features Machine

MCP60	up to 60 packs / min.*		
Size of product	Ø 55 - 70 mm, height 85 - 270 mm; other sizes upon request		
Sleeves	2 x 2 2 x 3 2 x 4		
Dimensions of machine	4.000 x 1.850 x 2.860 mm (I x w x h) not including conveyors		

*Speed depends on product diameter. Higher speed possible with some products.





Sleeve



Illustration shows an MCP60 with an upstream orientation unit

Sleeve

Multipack MCP200

Flexible packaging machine for medium and high output ranges for fully automatic packaging of bottles or cans in sleeves.

Features Machine

- Machine speed up to 240 packs per minute
- Fully automated inline-operation
- Different formations and bottle types (optional)
- Steady and gentle transport of cardboard blanks with spindle magazine
- Gentle handling of products
- EAN Code cover optional
- Compensates the tolerances of the bottles with a special chain system and glueing of the packs
- Can handle flip-top bottles



In tandem configuration up to 480 packs per minute

Features Machine

MCP200 MCP200 Tandem	up to 240 packs / min. up to 480 packs / min. Ø 55 - 70 mm, height 85 - 270 mm; other sizes upon request		
Size of products			
Sleeves	2 x 2 2 x 3 2 x 4 1 x 2 1 x 3 1 x 4		
Dimensions of machine	5.000 x 1.850 x 2.860 mm (l x w x h) not including conveyors		





Sleeve with EAN-Code Cover





Sleeve

Multipack MCP200 Combi

Flexible packaging machine for medium and high output ranges for fully automatic packaging of bottles or cans in sleeves or baskets.



ive in action

Features Machine

- Machine speeds up to 240 packs per minute
- Also possible as 'Baskets-only' machine
- Fully automated inline-operation
- Different formations and bottle types (optional)
- Steady and gentle transport of cardboard blanks with spindle magazine
- Gentle product handling
- Compensates the tolerances of the bottles with a special chain system and glueing of the packs
- Can handle flip-top bottles



Carton sleeves and Baskets on one machine possible

Features Machine

MCP200 Combi	Speed depends on the type of packaging used			
Size of product	Ø 55 - 70 mm, height 150 - 270 mm; other sizes upon request			
Sleeves up to 240 packs / min.	2 x 2 2 x 3 2 x 4 1 x 2 1 x 3 1 x 4			
Baskets up to 150 packs / min.	2 x 2 2 x 3			
Dimensions of machine	8.500 x 2.500 x 2.960 mm (l x w x h) not including conveyors			



Closed Basket



Sleeve





Open Basket



Sleeve





Multipack MCP200 FEC

Flexible packaging machine for medium and high output ranges for fully automatic packaging of bottles and cans into sleeves or fully enclosed packs (use of flat blanks).

Features Machine

- Machine speeds up to 160 packs per minute
- All pack types are produced from flat-lying blanks
- Fully automated inline-operation
- Steady and gentle transport of cardboard blanks with spindle magazine
- Gentle product handling
- Compensates the tolerances of the bottles with a special chain system and glueing of the packs



Features Machine

MCP200 FEC	Speed depends on the type of packaging used		
Size of product	Ø 55 - 70 mm, height 85 - 270 mm; other sizes upon request		
Sleeves up to 160 packs / min.	2 x 2 2 x 3 2 x 4		
Fully enclosed packs up to 160 packs / min.	2 x 2 2 x 3		
Dimensions of machine	10.000 x 1.850 x 2.860 mm (l x b x h) not including conveyors		



Titte



Fully enclosed pack

Sleeve with EAN-Code Cover

WILHELM NE





Illustration shows an MCP200 FEC with line turning divider



mattane

Sleeve

Fully enclosed pack

Line Dividers and Line-Turning-

Dividers Auxiliary equipments for more efficiency



Illustration shows a line divider

In addition to our Multipack-machines, we also offer line-dividers and line-turning-dividers to arrange formations of packs for e.g. tray- or foil-packers.

In contrary to standard line-dividers and line-turning-dividers, our machines are gripping the packs tightly mechanically from above so that they are not damaged and can't fall over, even at high speeds. They are also able to handle packs in 1x3 and 2x2 formation at high speed.

Line-Divider:	distribution of packs to 2,3 or 4 lanes Dimensions: 2.300 x 1.850 x 2.300 mm (l x w x h)
Line-turning-devider:	turning of packs by 90° and distribution of packs to 2,3 or 4 lanes Dimensions: 5.000 x 1.850 x 2.300 mm (l x w x h)

safetly at high speed

Features Machine

- Safe operation at high-speed (up to 250 Packs / Minute)
- Distribution of packs to 2, 3 or 4 lanes
- Tandem configuration available
- Several turn- and distribution paterns on one machine possible
- + Able to handle packs in 1x3 and 2x2 formation at high speed





Single-row and square packs can be processed

• Tight mechanical gripping of the packs from above (packs are not damaged and cannot fall over, even at high speeds)

Crate Cover / Sunshield-Inserter

Auxiliary equipments for more efficiency

References - Breweries

You are in good company

	Alken Meas	Alpirsbacher	Beck`s	Berg
	Bitburger	Dinkelacker	Dortmunder Actien-Brauerei	Duvel
	Einbecker Brauhaus	Erzquell Brauerei	Feldschlösschen	Flensburger
	Forst	Gilde	Gold Ochsen	Hasseröder
	Herforder Brauerei	Herrenhausen	Hirsch Brauerei Wurmlingen	Hochdorfer
Ţ	König	Köstritzer	Krombacher	Leibinger
ites. The covers can be clipped to the The cover also protects the beverages	Licher	Lichtenauer Mineralquellen	Oettinger	Paderborner Brauerei (Haus Cramer Gruppe)
pact machine can also be run without	Paulaner	Ratsherrn	Radeberger	Rhodius Mineralquellen
	Sirl Interaktive Logistik	Veltins	Vivi Kola	Wernesgrüner
he main process	Wittinger	Wolters		

The crate cover / sunshield inserter machine applies cardboard covers to crates bottles if required and can be used for advertising, especially for promotions. Th from sunlight.

The long-term magazine has to be filled only every two hours. The very compared application of covers, so that it can be placed in the main process.

Features Machine

- The long-term magazine has to be filled only every two hours
- Very compact machine **2.500** x **1.000** x **2.000** mm (l x w x h)
- + Can also be run without application of covers, so that it can be placed in the
- Application only on the top layer of a pallet with crates possible





Wilhelm Fischer

Service & quality are above all!

Our service - to keep things running smoothly for you Your advantages at a glance

Our competent service begins with the startup of the machine and is available to you at any time for the lifetime of the machine. As a Wilhelm Fischer customer, you rightly place high demands on your machine and on our service. We will do everything we can at all times to ensure that you are completely satisfied with our support.

Complete support

We are always at your side with our expertise at all times - and deliver everything from a single source.

Greatest possible safety

All machines, accessories and spare parts produced leave our factory fully inspected and tested.

Reliable supply

Our high manufacturing depth ensures you original spare parts even after more than 10 years.

Competent service

Regular training ensures that our service

Reliable maintenance

Regular maintenance by our service technicians protects your production from unplanned downtimes and premature wear. Your production benefits from the advisory expertise of our specialist staff and always remains up-to-date.

More than 70 years of experience

From the very beginning we offer you our many years of competence and know-how.









Get to know us and visit us in the Allgäu



Click here for the Imagefilm



Click here for the virtual tour.

FISCHER







Linggener Straße 1 87471 Durach Deutschland € +49 831 / 56419-0
≞ +49 831 / 56419-50
➡ info@wilhelm-fischer.de

𝗇 www.wilhelm-fischer.de

😚 www.wirverpackenbier.de

♥ www.balimpivo.cz